


WHAT Does Landmann Wire Rope Products, Inc. Provide For You?

- Customized and Professional Client Service
- Widest range of quality products in the industry
- Largest stocking distributor on the West Coast
- Overseas sourcing through our International partnerships
- Fulfilling the needs of companies big & small alike

With over 60 years of combined experience, and 150 years of solid history from our parent company, Gebrueder Thiele, Landmann is the source for your wire rope and rigging needs.



WIRE ROPE

- General Purpose
- 6X19 Class
- 6X37 Class
- Non-Rotating
- Rotation Resistant
- Stainless Steel
- Crane Lines
- Marine Ropes
- Mining Ropes
- Fishing Ropes
- Logging Ropes
- Water Well Drill Lines
- Compacted Ropes



AIRCRAFT CABLE

- Galvanized, Stainless Steel
- Vinyl Coated, Nylon Coated

STRAND

- 1X7 Guy Strand, EHS,
- Commercial Grade
- Log Bundling



All items guaranteed by Landmann Wire Rope Products, Inc. and are available with certificates of conformance.

THIMBLES

Heavy Duty Thimbles

Hot Dipped Galvanized
Conforms To Federal Specification
FF-T-276b, Type 3
1/4" to 2"



Heavy Duty Gusseted Thimbles

Hot Dipped Galvanized
5/8" to 1"



Standard Thimbles

Hot Dipped Galvanized
Conforms To Federal Specification
FF-T-276b, Type 2
1/8" to 1-1/4"



Stainless Steel Heavy Duty Thimbles

T304 and T316
1/8" to 1"



Stainless Steel Standard Thimbles

T304 and T316
1/16" to 5/8"



SPELTER SOCKETS

Closed Spelter Sockets

Forged Steel thru 1-1/2"
Cast Alloy Steel 1-5/8" to 4"



Open Spelter Sockets

Forged Steel thru 1-1/2"
Cast Alloy Steel 1-5/8" to 4"



*Sockets available with
certificates of conformance and
magma-flux certification.*

AVAILABILITY

*We have what you
need...when you
need it!*

- Largest stocking distributor on the West Coast
- Widest range of products available
- International sourcing and custom fabrication



SHACKLES

Round Pin Anchor Shackles

Conforms To Federal Specification
RR-C-271D, Type IV A, Grade A, Class 1
3/16" to 2-1/2"



Screw Pin Anchor Shackles

Conforms To Federal Specification
RR-C-271D, Type IV A, Grade A or B, Class 2
3/16" to 2-1/2"
Non-Rated Shackles Available



Safety Pin Anchor Shackles

Conforms To Federal Specification
RR-C-271D, Type IV A, Grade A, Class 3
1/2" to 3"



Screw Pin Chain Shackles

Conforms To Federal Specification
RR-C-271D, Type IV B, Grade A, Class 2
3/16" to 2-1/2"



Safety Pin Chain Shackles

Conforms To Federal Specification
RR-C-271D, Type IV B, Grade A, Class 3
1/2" to 3"



Stainless Steel SPA Shackles

T304 and T316
1/4" to 1"

CLIPS

Malleable Wire Rope Clips

Conforms To Federal Specification
FF-C-450 Type 1, Class 2
1/16" to 1-1/4"



Drop Forged Wire Rope Clips

Conforms To Federal Specification
FF-C-450 Type 1, Class 1
1/8" to 2-1/2"



Many items in this catalog are available in Stainless Steel.



TURNBUCKLES

Eye & Eye Turnbuckles

Conforms To Federal Specification
FF-T-791b, Type 1, Form 1, Class 4
1/4 x 4 to 2-3/4 x 24




Eye & Eye Turnbuckles

T316 Stainless Steel



Jaw & Jaw Turnbuckles

Conforms To Federal Specification
FF-T-791b, Type 1, Form 1, Class 7
1/4 x 4 to 2-3/4 x 24



Jaw & Jaw Turnbuckles

T316 Stainless Steel



Jaw & Eye Turnbuckles

Conforms To Federal Specification
FF-T-791b, Type 1, Form 1, Class 8
1/4 x 4 to 2-3/4 x 24




Jaw & Eye Turnbuckles

T316 Stainless Steel




Hook & Hook Turnbuckles

Conforms To Federal Specification
FF-T-791b, Type 1, Form 1, Class 5
1/4 x 4 to 1-1/2 x 24




Stub End Turnbuckles

Conforms To Federal Specification
FF-T-791b, Type 1, Form 1, Class 5
1/4 x 4 to 1-1/2 x 12



Turnbuckle Bodies

Conforms To Federal Specification
FF-T-791b, Type 1, Form 1, Class 2
1/4 x 4 to 2-3/4 x 24



TEAM PLAYER

*We're on your team,
think of us first.*

- Computerized inventory system provides instant stock and pricing.
- Not just order takers, we customize our service to fit your needs.
- Industry known for our professionalism and years of experience.



Forged and cast Stainless Steel Turnbuckles available.

EYE BOLTS

Regular Nut Eye Bolts

Forged Steel, Hot Dipped Galvanized
All with Heavy Hex Nuts
1/4" to 1-1/4" Diameter Shanks

Shoulder Nut Eye Bolts

Forged Steel, Hot Dipped Galvanized
All with Heavy Hex Nuts
1/4" to 1" Diameter Shanks

Shoulder Type Machinery Eye Bolts

Self Colored
Forged Steel, Quenched & Tempered
1/4 x 1 to 1 1/4 x 3

Turned Eye Bolts

Zinc Plated
3/16 x 3 to 3/8 x 6



PRICING & QUALITY

The best pricing in the industry.

- Our global partnerships allow us to provide the best pricing in the industry.
- Close ties to factories and manufacturers worldwide, as well as highly effective Quality Control teams ensure that our products are of the highest workmanship, while maintaining our excellent prices.

EYE NUTS

Forged Eye Nuts

Hot Dipped Galvanized, Self Colored
1/4" to 1" Diameter Tap

SWIVELS

Eye & Eye Swivels

Conforms To Federal Specification RR-C-271D, Type VII, Class 2
Forged Steel, Hot Dipped Galvanized
1/4" to 1-1/2"

Jaw & Eye Swivels

Conforms To Federal Specification RR-C-271D, Type VII, Class 3
Forged Steel, Hot Dipped Galvanized
1/4" to 1-1/2"



LINKS



Oblong Master Links

Forged Alloy Steel
1/2" to 2"



Pear Shaped Sling Links

Forged Carbon Steel
3/8" to 1-3/8"



Weldless Round Rings

Forged Carbon Steel
5/8 x 3 to 1-1/4 x 5



Alloy Coupling Links

Forged Alloy Steel
1/4" to 3/4"



Quick Links

Zinc Plated or Stainless Steel
1/8" to 1/2"



Spring Snap Links

Zinc Plated
1/8" to 1/2"



Lap Links (Repair Links)

Zinc Plated
1/8 x 3/4 to 1/2 x 2-1/2



Cold Shuts

Zinc Plated
3/16" to 5/8"



LOAD BINDERS & CHAIN

Standard Lever Load Binders

Forged Steel
1/4 5/16-3/8 3/8-1/2

Standard Ratchet Load Binders

Forged Steel
1/4 5/16-3/8 3/8-1/2

Spring Snubbing Load Binders

5/16-3/8

Combination Winch Bars

"S" Hooks

3/8"-17/32"

Twin Clevises

Zinc Plated
Grade 70
1/4" to 1/2"

Binder Chains

3/8 x 20ft G43
5/16 x 20ft G70
3/8 x 20ft G70
Approved for Highway Use

CHAINS

Standard Link Chain


Grade 30, 43, 70, 80
NACM, ASTM Specs
Self-Colored, HD Galvanized
Zinc Plated, Stainless Steel
1/8" to 3/4"

Agricultural Chain

Proof Coil, HD Galvanized
Long Link

Single Jack Chain

Zinc Plated
100ft/Box
Sizes #10 & #12



SLEEVES

Oval Sleeves

Aluminum, Copper Zinc Plated Copper
3/64" to 1/2"

*Aluminum sizing to 2 1/2"

Stop Sleeves

Aluminum, Copper
1/16" to 3/8"



CUTTERS

WR Series Wire Rope Cutters

Cuts Up To 3/4"




Small Hand Cutters

Cuts Up To 3/16"



Hydraulic Wire Rope Cutters

Cuts From 1/2" To 1-1/8"



Heavy Duty Wire Rope Cutters

Overall Lengths = 13", 16", 20"

Cuts up to 5/8" Wire Rope



SWAGERS

Combo Cutter/Swagers

Cuts and Swages from 1/16" to 3/16"



Portable Hydraulic Swagers

Swages from 1/4" to 1/2" cable

25 minute Battery Charge



Single Cavity Swagers

1/4", 5/16", 3/8" Cavities

Combo Swaging Tool

5/32" to 5/16"

Available with or without
cutter



HOOKS

Safety Snap Hooks

Hot Dipped Galvanized
7/16" & 9/16"



Eye Slip Hooks w/Latch

G43 & G70
1/4" to 1/2"

Clevis Slip Hooks w/Latch

G70 & G80 Forged Alloy Steel
G43 High Test
1/4" to 1/2"

Clevis Grab Hooks

G43 Forged Carbon Steel
G70 & G80 Forged Alloy Steel
1/4" to 3/4"

Eye Hoist Hooks w/Latch

Forged Carbon Steel
Forged Alloy Steel
3/4 Ton to 15 Ton

Sorting Hook

2 Ton

Swivel Hoist Hooks

Forged Alloy Steel
3 Ton to 15 Ton



LOGGING

Choker Hooks for Logging

Micro Midget to Junior

Strawline Hooks

5/16" & 7/16"

Choker Ferrules

M3P to L8P

Quickway Ferrules

Color Coded
M4 (1/2") to J10 (1-1/4")

Hammerhead Rafting Dog

Size: 5/8"

Staples

Plain or Galvanized
3/8 x 4 to 1/2 x 8



WHOLESALE ONLY

- Drop shipments to your customers
- Private label products & engineering
- Direct factory shipments available to the nearest port of entry or directly to your warehouse

Half Side Blocks

Size 6" to 8"
For 7/8" & 1-1/8" Wire Rope



SNATCH BLOCKS

Light Type Snatch Blocks w/Swivel Hook

Size 3" to 8"
For 3/8" to 7/8" Wire Rope



Light Type Snatch Blocks w/Swivel Shackle

Size 3" to 8"
For 3/8" to 7/8" Wire Rope



Utility Type Snatch Blocks

Size 4" to 6"
For 5/8" to 7/8" Wire Rope



Regular Wood Blocks, Double Sheave

Size 4" to 8"
For 1/2" to 1" Synthetic Rope



Round Snatch Blocks w/Swivel Eye

Size 3" to 8"
For 1/2" to 1" Wire Rope



Round Snatch Blocks w/Bail

Size 3" to 8"
For 1/2" to 1" Wire Rope



Regular Wood Blocks, Single Sheave

Size 4" to 8"
For 1/2" to 1" Synthetic Rope





Pacific Northwest

Rick Bracken
4301B Industry Dr. East
Fife, WA 98424
Phone: 877-926-3500
Fax: 253-926-2510

Southern California

Terry Smith
6415 Bandini Blvd.
Commerce, CA 90040
Phone: 800-344-6751
Fax 323-720-1156

Northern California

Rick Colvin
6500 Goodyear Rd.
Benicia, CA 94510
Phone: 800-331-0794
Fax: 707-748-1701

Truckee, California

Darwin Longley
Phone: 800-754-9774
Fax: 530-587-6915

www.landmannwire.com
sales@landmannwire.com



Distributed by:

